



SAFETY DATA SHEET SUPERWASH 25/200

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SUPERWASH 25/200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Traffic Film Remover.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Iain Semple Chemicals Ltd
7 McKenzie St,
Paisley,
Renfrewshire,
PA3 1LX
0141 8487557

1.4. Emergency telephone number

Emergency telephone +44 (0) 141 8487557 (Mon - Fri 9:00am - 5:00pm GMT)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) C; R35

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

SUPERWASH 25/200

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P103 Read label before use.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>
Contains	sodium hydroxide, 1Propanaminium, 3-amino-N(carboxymethy l)-N,Ndimethyl-, NC8-18(even numbered) acyl derivs., hydroxides, inner salts, alcohol ethoxylate C9-11
Supplementary precautionary statements	<p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Detergent Labelling	Contains amongst other ingredients: <5% EDTA , <5% amphoteric surfactants , <5% non-ionic surfactants .

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sodium hydroxide	5-10%
CAS number: 1310-73-2	EC number: 215-185-5
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
trisodium nitrilotriacetate	1-5%
CAS number: 5064-31-3	EC number: 225-768-6
	REACH registration number: 01-2119519239-36-XXXX
Classification	
Acute Tox. 4 - H302	Classification (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xn; R22. Xi; R36. Carc. Cat. 3 R40
Carc. 2 - H351	
1Propanaminium, 3-amino-N(carboxymethy l)-N,Ndimethyl-, NC8-18(even numbered) acyl derivs., hydroxides, inner salts	1-5%
CAS number: 97862-59-4	EC number: 931-296-8
	REACH registration number: 01-2119488533-30-XXXX
Classification	
Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC)
Aquatic Chronic 3 - H412	Xi; R41. R52/53

SUPERWASH 25/200

alcohol ethoxylate C9-11	1-5%
CAS number: 68439-46-3	EC number: 614-482-0
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	If in doubt, get medical attention promptly.
Inhalation	Get medical attention if any discomfort continues.
Ingestion	Give plenty of water to drink. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Continue to rinse for at least 15 minutes.
Eye contact	Remove affected person from source of contamination. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Severe irritation of nose and throat. Burns can occur.
Ingestion	Burns can occur. Nausea, vomiting.
Skin contact	Burns can occur. Pain or irritation.
Eye contact	Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
Specific treatments	Not applicable.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Not applicable.

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. None known.
Hazardous combustion products	None known.

5.3. Advice for firefighters

SUPERWASH 25/200

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact.

6.2. Environmental precautions

Environmental precautions No negative effects on the aquatic environment are known. Not regarded as dangerous for the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing.

Advice on general occupational hygiene Clean equipment and the work area every day. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly closed in a cool place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

sodium hydroxide

WEL: Short Term Exposure Limit (STEL): 2 mg/m³

sodium hydroxide (CAS: 1310-73-2)

DNEL

Industry - Inhalation; Long term local effects: 1 mg/m³

Consumer - Inhalation; Long term local effects: 1 mg/m³

alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

SUPERWASH 25/200

DNEL	Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Workers - Inhalation; Long term systemic effects: 175 mg/m ³ General population - Oral; Long term systemic effects: 15 mg/kg/day General population - Dermal; Long term systemic effects: 1650 mg/kg/day General population - Inhalation; Long term systemic effects: 52 mg/m ³
PNEC	Fresh water; 0.24 mg/l marine water; 0.024 mg/l Intermittent release; 0.071 mg/l Sediment (Freshwater); 5.45 mg/kg Sediment (Marinewater); 0.545 mg/kg Soil; 0.946 mg/kg STP; 10 000 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Contact lenses should not be worn when working with this chemical. Chemical splash goggles.

Hand protection

Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.

Respiratory protection

No specific recommendations.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Red.
Odour	Mild. Amine.
pH	pH (concentrated solution): > 13
Initial boiling point and range	> 100°C @ 760 mm Hg
Relative density	~ 1.075
Viscosity	Not viscous.

9.2. Other information

SECTION 10: Stability and reactivity

SUPERWASH 25/200

10.1. Reactivity

Reactivity The reactivity data for this product will be typical of those for the following class of materials: Alkalis.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid freezing.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products May emit toxic fumes under fire conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 10,416.67

Inhalation Vapours may irritate throat/respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact May cause irritation.

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity Not applicable.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

SUPERWASH 25/200

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266
UN No. (ADN)	3266

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
Proper shipping name (ADN)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X

SUPERWASH 25/200

Hazard Identification Number 80
(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material.

Issued by HS&E Manager.

Revision date 18/02/2021

Revision 5

Supersedes date 22/01/2021

SDS number 8282

Risk phrases in full R22 Harmful if swallowed.
R35 Causes severe burns.
R36 Irritating to eyes.
R40 Limited evidence of a carcinogenic effect.
R41 Risk of serious damage to eyes.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard statements in full H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H412 Harmful to aquatic life with long lasting effects.

Code

Other Information

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.