

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	SUPERWASH NC
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Traffic Film Remover.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the	he safety data sheet
Supplier	Iain Semple Chemicals Ltd 7 McKenzie St, Paisley, Renfrewshire, PA3 1LX 0141 8487557
1.4. Emergency telephone nur	mber
Emergency telephone	+44 (0) 141 8487557 (Mon - Fri 9:00am - 5:00pm GMT)
SECTION 2: Hazards identification	ation
2.1. Classification of the subst	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412
Classification (67/548/EEC or 1999/45/EC)	Xi; R41, R38
2.2. Label elements	
Hazard pictograms	
Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

٦

SUPERWASH NC

Precautionary statements	 P102 Keep out of reach of children. P103 Read label before use. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Storage Information: Store in original sealed container and protect from extremes of temperature. P501 Dispose of contents/ container in accordance with local regulations.
Contains	disodium metasilicate, tetrasodium ethylene diamine tetraacetate, alcohol ethoxylate C9-11
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P310 Immediately call a POISON CENTER/ doctor.
Detergent Labelling	Contains amongst other ingredients: <5% EDTA , <5% non-ionic surfactants , <5% cationic surfactants , <5% amphoteric surfactants .

2.3. Other hazards

3.2. Mixtures

disodium metasilicate			1-5%
CAS number: 6834-92-0	EC number: 229-912-9		
Classification	Classificati	on (67/548/EEC or 1999/45/EC)	
Skin Corr. 1B - H314	C; R34. Xi;	R37	
Eye Dam. 1 - H318			
STOT SE 3 - H335			
tetrasodium ethylene diamine tetr	raacetate		1-5%
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01- 2119486762-27-XXXX	
Classification			
Acute Tox. 4 - H302			
Acute Tox. 4 - H332			
Eye Dam. 1 - H318			
alcohol ethoxylate C9-11			1-5%
CAS number: 68439-46-3	EC number: 614-482-0		
Classification			
Acute Tox. 4 - H302			
Eye Dam. 1 - H318			

C12-16 alkyl dimethyl benzy	yl ammonium chloride <1%
CAS number: 68424-85-1	EC number: 270-325-2
M factor (Acute) = 10	M factor (Chronic) = 1
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn; R22. C; R34. N; R50/53
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
sodium hydroxide	<1%
CAS number: 1310-73-2	EC number: 215-185-5
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measu	res
4.1. Description of first aid m	easures
General information	If in doubt, get medical attention promptly.
Inhalation	Get medical attention if any discomfort continues.
Ingestion	Give plenty of water to drink. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water.
Eye contact	Remove affected person from source of contamination. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptom	ns and effects, both acute and delayed
Inhalation	May cause discomfort. A single exposure may cause the following adverse effects: Irritation o nose, throat and airway.
Ingestion	May cause discomfort if swallowed. A single exposure may cause the following adverse effects: Irritation. Nausea, vomiting.
Skin contact	May cause discomfort. May be slightly irritating to skin and eyes. A single exposure may cause the following adverse effects: Irritation. Prolonged and frequent contact may cause redness and irritation.
Eye contact	A single exposure may cause the following adverse effects: Irritation. Prolonged or repeated exposure may cause severe irritation.
4.3. Indication of any immedi	iate medical attention and special treatment needed
	· · · · · · · · · · · · · · · · · · ·

Notes for the doctor Treat symptomatically.

Specific treatments	Not applicable.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Not applicable.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	The product is non-combustible. None known.	
Hazardous combustion products	None known.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with eyes and prolonged skin contact.	
6.2. Environmental precaution	<u>8</u>	
Environmental precautions	No negative effects on the aquatic environment are known. Not regarded as dangerous for the environment.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
6.4. Reference to other sections		
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Avoid contact with eyes and prolonged skin contact.	
Advice on general occupational hygiene	Clean equipment and the work area every day. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep only in the original container. Keep container tightly closed in a cool place.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		

Occupational exposure limits

sodium hydroxide

WEL: Short Term Exposure Limit (STEL): 2 mg/m3

sodium hydroxide (CAS: 1310-73-2)

Industry - Inhalation; Long term local effects: 1 mg/m³ Consumer - Inhalation; Long term local effects: 1 mg/m³

DNEL

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Contact lenses should not be worn when working with this chemical. Chemical splash goggles.
Hand protection	Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Clear liquid.
Colour	Colourless to pale yellow.
dour	Mild.
Н	pH (concentrated solution): 13 - 14 pH (diluted solution): 12 @ 1%
elative density	~ 1.065
Solubility(ies)	Soluble in water.
Viscosity	Not viscous.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

The reactivity data for this product will be typical of those for the following class of materials: Alkalis.

10.2 Chamical stability		
10.2. Chemical stability Stability	Stable at normal ambient temperatures and when used as recommended.	
-		
10.3. Possibility of hazardous Possibility of hazardous	None known.	
reactions	None known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Avoid freezing.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents. Strong reducing agents.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	May emit toxic fumes under fire conditions.	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
ATE oral (mg/kg)	12,262.2	
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	423.93	
Inhalation	Vapours may irritate throat/respiratory system.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	May cause irritation.	
SECTION 12: Ecological inform	mation	
Ecotoxicity	The product is not expected to be hazardous to the environment.	
12.1. Toxicity		
Toxicity	Not applicable.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	The product is not bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product is soluble in water.	
12.5. Results of PBT and vPv	12.5. Results of PBT and vPvB assessment	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment methods		

General information Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU legislation
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Only trained personnel should use this material.
Issued by	HS&E Manager.
Revision date	18/02/2021
Revision	3
Supersedes date	03/09/2020
SDS number	8287

Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Code

Other Information

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.